




1/10



*Fig. 1*

(PRIOR ART)



2/10





Fig. 2 (PRIOR ART)



3/10



*Fig. 3*





Fig. 4



5/10





6/10




Fig. 6



7/10




Fig. 7A




Fig. 7B




Fig. 7C



8/10

80

	msb							lsb
opcode	WRITE DESCRIPTOR ( $0A_{16}$ )							
operand[0]	descriptorSpecifier (MSB)							
operand[1]	:							81
:	:							
:	(LSB)							
:	subfunction							83
:	reserved							
	node_ID (MSB)							82
	(LSB)							
:	data_length (MSB)							84
:	(LSB)							
:	address (MSB)							79
:	(LSB)							

Fig. 8A

85

	msb							lsb
opcode	WRITE DESCRIPTOR ( $07_{16}$ )							
operand[0]	info_block_reference_path							87
:								
:								
:	subfunction "partial_replace" = $50_{16}$							89
:	reserved							
	node_ID (MSB)							86
	(LSB)							
:	replacement_data_length (MSB)							88
:	(LSB)							
:	address (MSB)							189
:	(LSB)							

Fig. 8B



9/10

90

	msb							lsb
opcode								
operand[0]								
operand[1]								
:								
:								
descriptor_specifier (MSB)								
⋮								
descriptor_specifier (LSB)								
:								
node_ID (MSB)								
⋮								
(LSB)								
data_length (MSB)								
⋮								
(LSB)								
address (MSB)								
⋮								
(LSB)								
⋮								

Fig. 9A

95

	msb							lsb
opcode								
operand[0]								
operand[1]								
:								
⋮								
info_block_reference_path								
⋮								
node_ID (MSB)								
⋮								
(LSB)								
data_length								
⋮								
address								
⋮								
⋮								

Fig. 9B



10/10




Fig. 10